



# Hermit Crab


Small Portable  
Drive Subsystem

## Hermit Crab

Also

HALF SHELL  
1.4 x 5.5 x 7.5

120MB \$649.  
40MB \$349.



- Compact size 2.8"x 5.5"x 7.5"
- Quiet operation
- Extra shock protection
- LED indicator
- Dual SCSI connectors
- Metal construction
- Platinum grey
- Carrying case
- FCC certified
- Powered by the computer

### Hard Drive Subsystem

Capacity 20MB to 520MB

Access Time 12ms to 28ms

Auto Park

### Tape Drive Subsystem

Capacity 155MB to 600MB

### Floppy Drive Subsystem

Capacity 1MB to 4MB

Tulin is a broad based computer storage peripherals company since Nov. 1982. The company's expertise is in the area of computer storage peripherals. Its products serve a wide range of computers and operating systems. Tulin's R&D activities are aimed at providing innovative ways to improve the cost effectiveness, ease of use, efficient space utilization and many other features to the users.

Drive subsystems are compatible to PC, 286, 386, 486, PS2, IBM RS6000, Macintosh, Apple IIgs, Tandy, Amiga, Atari, Sun, Next, Silicon Graphics, VAX, etc.

Warranty period is 1 to 5 years.

**Tulin Corporation**

2156H O'Toole Ave., San Jose, CA 95131

All ®registermark and ™trademark are of their respective companies.

Tel: 408-432-9025 Fax: 408-943-0782




# A-Hive Jr

External Small

SCSI Drive Subsystem

# A-Hive Jr

for Notebook, Laptop, Desktop Computers, Workstations & Laser Printer



- Small size 2.2"x 7.1"x 7.1"
- Quiet cooling fan
- Power supply
- LED indicator
- RFI filter
- Dual SCSI connectors
- Platinum grey
- Horizontal or Vertical placement

# A-Hive Jr

# A-Hive Jr

## Hard Drive Subsystem

Capacity 20MB to 520MB

Access Time 12ms to 28ms

Auto Park

## Tape Drive Subsystem

Capacity 155MB to 600MB

## Floppy Drive Subsystem

Capacity 1MB to 4MB

Tulin is a broad based computer storage peripherals company since Nov. 1982. The company's expertise is in the area of computer storage peripherals. Its products serve a wide range of computers and operating systems. Tulin's R&D activities are aimed at providing innovative ways to improve the cost effectiveness, ease of use, efficient space utilization and many other features to the users.

Drive subsystems are compatible to PC, 286, 386, 486, PS2, IBM RS6000, Macintosh, Apple IIgs, Tandy, Amiga, Atari, Sun, Next, Silicon Graphics, VAX, etc.

Warranty period is 1 to 5 years.

**Tulin Corporation**

2156H O'Toole Ave., San Jose, CA 95131

All ®registermark and ™trademark are of their respective companies.


Tel: 408-432-9025 Fax: 408-943-0782



# A-Hive

## External Large SCSI Drive Subsystem

for Notebook, Laptop, Desktop Computers, Workstations & Laser Printer



- Size 9.9"x 9.6"x 4.3"
- Quiet cooling fan
- 30 watts or 65 watts power supply
- Two LED indicators
- RFI filter
- Dual SCSI connectors
- Platinum grey
- Horizontal or Vertical placement
- Steel construction
- Low profile front On/Off switch
- FCC certified

### Hard Drive Subsystem

Capacity	32MB to 1.05GB
Access Time	12ms to 28ms
Auto Park	

### Tape Drive Subsystem

Capacity	50MB to 1.3GB
----------	---------------

### Tape & Hard Drive Subsystem

Capacity	Mix & Match
----------	-------------

### Cartridge Drive Subsystem

Capacity	44MB
Access Time	20ms

Tulin is a broad based computer storage peripherals company since Nov. 1982. The company's expertise is in the area of computer storage peripherals. Its products serve a wide range of computers and operating systems. Tulin's R&D activities are aimed at providing innovative ways to improve the cost effectiveness, ease of use, efficient space utilization and many other features to the users.

Drive subsystems are compatible to PC, 286, 386, 486, PS2, IBM RS6000, Macintosh, Apple IIgs, Tandy, Amiga, Atari, Sun, Next, Silicon Graphics, VAX, etc.

Warranty period is 1 to 5 years.

All ®registermark and ™trademark are of their respective companies.

Tel: 408-432-9025 Fax: 408-943-0782

**Tulin Corporation**

2156H O'Toole Ave., San Jose, CA 95131

## SCSI Backup Tape Drive

**Backup** is *not* something that we should consider lightly -- mistake or castastrophies do happen in the unexpected moment.

- Tape cartridges are removable--one simply buys more tapes for added capacity.
- Cost per megabyte tape is inexpensive.
- Daily backups can be filed away to give one access to earlier versions of files.
- Duplicate backups can be kept offsite for added data security.
- Shared device--the tape drive can be shared by the Macintosh, Apple IIgs, PC/286/386, Laptops, etc.

### **A-Hive--Desk Top External Tape Subsystem (9.9"x9.6"x4.3")**




The desk top unit is designed to house a tape drive as well as a hard drive for an effective and integrated combination.

### **A-Hive Jr--Small External Tape Subsystem (7.1"x7.1"x2.2")**

This small unit is ideal for sharing among computers. It has its own power supply and fan.

### **Hermit Crab--Portable Tape Subsystem (7.7"x5.5"x2.5")**

This is a portable unit that can be easily moved around between computers, offices, buildings,etc. It comes with a carrying bag. It gets power from the computer.




TLT50	50MB	CT600H cassette
TLT155	155MB	CT600N cassette
TLT155W	150MB	DC600 cartridge
TLT250W	250MB	DC6250 cartridge
TLT1300W	1.3GB	DAT 4mm cassette

# SCSI Hard and Tape Drive Subsystem for Workstations

•SUN •SILICON GRAPHICS •IBM RS/6000 •VAX •NEXT

### Hard Disk Features include:

- Auto park
- SCSI interface
- Fast 28ms to 12ms access time
- Disk cache
- MTBF 100,000+ POH
- 1-5 years Manufacturer's Warranty



### External Enclosure Features include:

- Aesthetic design
- Cooling fan
- FCC certified
- External SCSI ID Switch
- Room for two half height drives or one full height drive
- Provision for second half height hard drive or 3.5/5.25" cartridge drive addition
- 65 Watts or 30 Watts power supply
- Horizontal or Vertical placement
- Line fuse and RFI filter
- LED light
- Daisy Chain Provision

### Complete Hard Drive Subsystem \*:

TL80QWH	80MB	19/12ms	Quantum	\$ 625.
TL105QWH	105MB	19/12ms	Quantum	\$ 639.
TL120WH	120MB	19ms	Conner	\$ 745.
TL170QWH	170MB	19/12ms	Quantum	\$ 949.
TL200XWH	200MB	15ms	Maxtor	\$ 969.
TL340MWH	340MB	14ms	Micropolis	\$1439.
TL440WH	440MB	16ms	Imprimis	\$1749.
TL612WH	612MB	16ms	Imprimis	\$1875.
TL668MWH	668MB	16ms	Micropolis	\$1999.
TL675WH	675MB	16ms	Imprimis	\$2139.
TL1050MWH	1050MB	14ms	Micropolis	\$2849.
TL1050WH	1050MB	16ms	Imprimis	\$2949.

### Tape Backup Subsystem

TL155WTH	155MB	External	Wangtek	\$ 799.
TL155WT	155MB	Internal	Wangtek	\$ 675.
TL500WTH	500MB	External	Wangtek	\$ 945.
TL500WT	500MB	Internal	Wangtek	\$ 815.
TL1300WTH	1.3GB	External	Wangtek	\$1799.
TL1300WTH	1.3GB	Internal	Wangtek	\$1649.
TL155WC	155MB	DC600 Cartridge		\$ 42.
TL1300WC	1.3GB	DAT Cartridge		\$ 29.


\* For Sparc Station - add \$69.  
Many other drives also available -- Call

### WARRANTY:

Hard Drive: Manufacturer's warranty (1-5 years depending on mfr.)  
Fan and Power supply: Tulin warranty (1 year)

### PAYMENT TERMS:

Prepaid, or COD Certified Funds, or MC/Visa (add 3% bank surcharge)  
Purchase Orders accepted upon approval of credit.



**TULIN CORPORATION**  
2156H O'Toole Ave., San Jose, CA 95131

Tel:(408)432-9025 Fax:(408)943-0782

# TULIN CORPORATION

IIgs/e 01/01/91

## Apple IIgs, IIe Hard Disk Subsystems (Assembled and Preformatted)

### HALF SHELL - LOW POWER COMPACT HARD DRIVE (1.4"X5.5"X7.5" 2.25lb.)

(SCSI Drive+Apple Hi-Speed Card+Software+Cables+Carrying Case)  
HS20GS \$ 459 20MB Conner 25ms 1" LOW POWER  
HS40GS \$ 499 40MB Conner 25ms 1" LOW POWER  
HS120GS \$ 799 120MB Conner 19ms 1" LOW POWER

### HERMIT CRAB - PORTABLE HARD DRIVE (2.8"x5.5"x7.5" 4lb.)

(SCSI Drive+Apple Hi-Speed Card+Software+Cables+Carrying Case)  
HC20GS \$ 459 20MB Conner 25ms 1" LOW POWER  
HC40GS \$ 499 40MB Conner 25ms 1" LOW POWER  
HC120GS \$ 799 120MB Conner 19ms 1" LOW POWER

### A-HIVE JR. EXTERNAL HARD DRIVE (7.1"x7.1"x2.2" 6lb.)

(SCSI Drive+Apple Hi-Speed Card+Software+Enclosure+Ext. Cables)  
HJ32GS \$ 469 32MB Seagate SCSI 40/28ms 3.5"  
HJ40GS \$ 489 40MB Conner SCSI 25ms 1" LOW POWER  
HJ48GS \$ 510 48MB Seagate SCSI 28ms 3.5"  
HJ60GS \$ 579 60MB Seagate SCSI 24ms 3.5"  
HJ84GS \$ 599 84MB Seagate SCSI 24ms 3.5"  
HJ84QGS \$ 699 84MB Quantum SCSI 19/12ms 3.5"  
HJ105QGS \$ 725 105MB Quantum SCSI 19/12ms 3.5"  
HJ120GS \$ 819 120MB Conner 19ms 1" LOW POWER  
HJ170XGS \$1039 170MB Quantum SCSI 19/12ms 3.5"  
HJ200XGS \$1059 200MB Maxtor SCSI 15ms 3.5"  
HJ210QGS \$1125 210MB Quantum SCSI 19/12ms 3.5"

### A-HIVE REMOVABLE CARTRIDGE DRIVE SUBSYSTEM (9.9"x9.6"x4.3" 10lb.)

(Remov. SCSI Drive+Apple Hi-Speed Card+Software+Enclosure+Ext. Cables)  
TLT44GSH \$ 739 44MB Syquest Removable Cartridge Drive 20ms (incl. 1 cartridge)  
TLT44C \$ 79 44MB Syquest Cartridge

### A-HIVE EXTERNAL HARD DRIVE SUBSYSTEM(9.9"x9.6"x4.3" 11lb.)

(SCSI Drive+Apple Hi-Speed Card+Software+Enclosure+Ext. Cables)  
TL32GSH \$ 485 32MB Seagate SCSI 40/28ms 3.5"  
TL40GSH \$ 509 40MB Conner 25ms 1" LOW POWER  
TL48GSH \$ 539 48MB Seagate SCSI 28ms 3.5"  
TL65GSH \$ 559 65MB Seagate SCSI 28ms 5.25"  
TL85GSH \$ 589 85MB Seagate SCSI 28ms 5.25"  
TL84QGSH \$ 715 84MB Quantum SCSI 19/12ms 3.5"  
TL105QGSH \$ 745 105MB Quantum SCSI 19/12ms 3.5"  
TL120GSH \$ 835 120MB Conner 19ms 1" LOW POWER  
TL170QGSH \$1055 170MB Quantum SCSI 19/12ms 3.5"  
TL200XGSH \$1075 200MB Maxtor SCSI 15ms 3.5"

### A-HIVE EXTERNAL HARD DRIVE/TAPE DRIVE COMBO SUBSYSTEM

Above Half-Height Hard Drive w/50MB Tape Drive & Backup Software add \$479.  
Above Half-Height Hard Drive w/155MB Tape Drive & Backup Software add \$549.

\*\*\* **SUBSTITUTION - RAMFAST SCSI CARD add \$ 99. (w/256K) \*\*\***

### A-HIVE TAPE SUBSYSTEM(9.9"x9.6"x4.3" 9lb.)

(SCSI Tape Drive+Software+Enclosure+Ext. Cables)  
TLT155GSH \$ 589 155MB Teac Tape Drive Unit  
TLT50GSH \$ 519 50MB Teac Tape Drive Unit

# TULIN CORPORATION

IIgs/e 01/01/91

## Apple IIgs, IIe Hard Disk Components

### SCSI HARD DRIVES

TL20NC/40NC/80NC	\$279/299/459	Conner 20MB/40MB/80MB 25ms 1"/3.5"
TL105NC/120NC/200NC	\$495/599/829	Conner 105MB/120MB/200MB 25/19ms 1"/3.5"
TL200NX	\$ 849	Maxtor 200MB 15ms 3.5"
TL40NQ/84NQ/105NQ	\$339/489/519	Quantum 40MB/84MB/105MB 19/12ms 3.5"
TL120NQ/170NQ/210NQ	\$729/849/939	Quantum 120MB/170MB/210MB 19/12ms 3.5"
TL32N/48N/60N/84N	\$265/310/369/399	Seagate 32MB/48MB/60MB/84MB 28/24ms 3.5"
TL65N/85N	\$319/359	Seagate 65MB/85MB 28ms 5.25" HH
TL44R	\$ 429	Syquest Removable Cartridge 44MB 20ms 5.25" HH
TLCDR680	\$ 759	NEC CD ROM External 680MB ** New Item
TLFD2N/TLFD4N	\$179/219	2MB/4MB Teac SCSI Floppy Drive ** New Item
CD & CD-ROM	\$	Many variety ... Call for detail. ** New Item

### SCSI TAPE DRIVES

TLT155N/TLT50N	\$435/365	Teac 155MB/50MB Tape Drive
TLT155C/TLT50C	\$ 29/21	Teac 155MB/50MB Cassette Tape
TLTGSF10	\$ 39	Teac Tape Formatter/Backup Software

### A-HIVE or A-HIVE JR. (EXTERNAL DRIVE ENCLOSURE)

TLSC301	\$ 119	A-Hive 30WATTS Power Supply/Fan/Int. SCSI Cable
TLSC651	\$ 169	A-Hive 65WATTS Power Supply/Fan/Int. SCSI Cable
TLSC30J	\$ 119	A-Hive Jr. Power supply/Fan/Int. SCSI Cable

### CABLES AND MISCELLANEOUS

TLAC503	\$ 109	Apple Hi-Speed SCSI Interface Card
TLRF503	\$ 199	Ramfast SCSI Interface Card w/256K
TLSCSI	\$ 18	25-50pin External SCSI Cable
TLSCSIC	\$ 19	50-50pin External SCSI Daisy Chain Cable
TLSCSII	\$ 20	50 to 2-50pin Internal 1 Drive SCSI Cable
TLSCSII2	\$ 25	2-50 to 2-50pin Internal 2 Drive SCSI Cable
TLT100	\$ 18	External SCSI Terminator
TLPC100	\$ 4	AC Power Cord
TLMOD2	\$ 25	2 Drive Hive Mod (2nd LED/Conn/SCSI Addr/Mtg)
TLTBS300	\$ 5	5.25" Base for Tape Mounting
TLB100	\$ 8	Mounting Hardware for Tape Drive

### FEATURES:

**ALL SUBSYSTEMS CAN BE REFORMATTED FOR MACINTOSH, IBM, ATARI, AMIGA, SUN, TANDY... COMPUTERS.**

### HALF SHELL LOW POWER HARD DRIVE:

- Compact, quiet fast SCSI drive. Same drive as used in the Macintosh Portable. External Powered

### HERMIT CRAB PORTABLE HARD DRIVE:

- Compact with additional shock mounts to withstand handling in transportation. External Powered.

### REMOVABLE CARTRIDGE DRIVE SUBSYSTEM

- Has fast access of 20ms and has unlimited storage capacity.

### HARD DRIVE/TAPE DRIVE SUBSYSTEM SPECIAL FEATURES:

- The Hard Drive Subsystem is fully assembled and preformatted with most current GS/OS Version for IIgs or PRO DOS 8 for IIe. It includes the Apple Hi-Speed SCSI Card and software, current GS/OS version system diskette and all necessary cables.
- The Tape Drive Subsystem includes backup software and all necessary cables. Tape backup software is a tape based hard drive backup utility for the Apple IIgs or Apple IIe. An Apple II SCSI card is required as well as a Teac SCSI tape drive. The software is menu driven and user friendly.

### HARD DRIVES/CARTRIDGE DRIVE/TAPE DRIVES:

- Hard drives - embedded SCSI with superior performance, disk cache for fast access, auto-park heads.
- Cartridge/Tape drives - Embedded SCSI, fast and reliable. Unlimited storage capacity.

### A-HIVE and A-HIVE JR. ENCLOSURE:

- A-Hive Enclosure can house 2 half-height hard drives, or 1 half-height hard drive and 1 removable cartridge/tape drive, or 1 full-height hard drive. A-Hive Jr. can house 1-3.5" hard or remov. drive.

### WARRANTY:

Hard/Cartridge/Tape Drive: Mfr's warranty (1-5 years depending on mfr.)

Apple Hi-Speed SCSI Card: Manufacturer's warranty 1 year.

RamFast SCSI Card: Manufacturer's lifetime warranty.

Fan and Power supply: Tulin warranty 1 year.

### PAYMENT TERMS:

Prepaid or COD Certified Funds or MC/Visa (add 3% bank surcharge)

Purchase Orders accepted upon approval of credit

**Apple Iigs, IIe Hard Disk Subsystems**  
**(Assembled and Preformatted)**

**HALF SHELL - LOW POWER COMPACT HARD DRIVE (1.4"X5.5"X7.5" 2.25lb.)**

(SCSI Drive+Apple Hi-Speed Card+Software+Cables+Carrying Case)  
 HS20GS \$ 459 20MB Conner 25ms 1" LOW POWER  
 HS40GS \$ 499 40MB Conner 25ms 1" LOW POWER  
 HS120GS \$ 799 120MB Conner 19ms 1" LOW POWER

**HERMIT CRAB - PORTABLE HARD DRIVE (2.8"x5.5"x7.5" 4lb.)**

(SCSI Drive+Apple Hi-Speed Card+Software+Cables+Carrying Case)  
 HC20GS \$ 459 20MB Conner 25ms 1" LOW POWER  
 HC40GS \$ 499 40MB Conner 25ms 1" LOW POWER  
 HC120GS \$ 799 120MB Conner 19ms 1" LOW POWER

**A-HIVE JR. EXTERNAL HARD DRIVE (7.1"x7.1"x2.2" 6lb.)**

(SCSI Drive+Apple Hi-Speed Card+Software+Enclosure+Ext. Cables)  
 HJ32GS \$ 469 32MB Seagate SCSI 40/28ms 3.5"  
 HJ40GS \$ 489 40MB Conner SCSI 25ms 1" LOW POWER  
 HJ48GS \$ 510 48MB Seagate SCSI 28ms 3.5"  
 HJ60GS \$ 579 60MB Seagate SCSI 24ms 3.5"  
 HJ84GS \$ 599 84MB Seagate SCSI 24ms 3.5"  
 HJ84QGS \$ 699 84MB Quantum SCSI 19/12ms 3.5"  
 HJ105QGS \$ 725 105MB Quantum SCSI 19/12ms 3.5"  
 HJ120GS \$ 819 120MB Conner 19ms 1" LOW POWER  
 HJ170XGS \$ 1039 170MB Quantum SCSI 19/12ms 3.5"  
 HJ200XGS \$ 1059 200MB Maxtor SCSI 15ms 3.5"  
 HJ210QGS \$ 1125 210MB Quantum SCSI 19/12ms 3.5"

**A-HIVE REMOVABLE CARTRIDGE DRIVE SUBSYSTEM (9.9"x9.6"x4.3" 10lb.)**

(Remov. SCSI Drive+Apple Hi-Speed Card+Software+Enclosure+Ext. Cables)  
 TLT44GSH \$ 739 44MB Syquest Removable Cartridge Drive 20ms (incl. 1 cartridge)  
 TLT44C \$ 79 44MB Syquest Cartridge

**A-HIVE EXTERNAL HARD DRIVE SUBSYSTEM(9.9"x9.6"x4.3" 11lb.)**

(SCSI Drive+Apple Hi-Speed Card+Software+Enclosure+Ext. Cables)  
 TL32GSH \$ 485 32MB Seagate SCSI 40/28ms 3.5"  
 TL40GSH \$ 509 40MB Conner 25ms 1" LOW POWER  
 TL48GSH \$ 539 48MB Seagate SCSI 28ms 3.5"  
 TL65GSH \$ 559 65MB Seagate SCSI 28ms 5.25"  
 TL85GSH \$ 589 85MB Seagate SCSI 28ms 5.25"  
 TL84QGSH \$ 715 84MB Quantum SCSI 19/12ms 3.5"  
 TL105QGSH \$ 745 105MB Quantum SCSI 19/12ms 3.5"  
 TL120GSH \$ 835 120MB Conner 19ms 1" LOW POWER  
 TL170QGSH \$ 1055 170MB Quantum SCSI 19/12ms 3.5"  
 TL200XGSH \$ 1075 200MB Maxtor SCSI 15ms 3.5"

**A-HIVE EXTERNAL HARD DRIVE/TAPE DRIVE COMBO SUBSYSTEM**

Above Half-Height Hard Drive w/50MB Tape Drive & Backup Software add \$479.  
 Above Half-Height Hard Drive w/155MB Tape Drive & Backup Software add \$549.

**\*\*\* SUBSTITUTION - RAMFAST SCSI CARD add \$ 99. (w/256K) \*\*\***

**A-HIVE TAPE SUBSYSTEM(9.9"x9.6"x4.3" 9lb.)**

(SCSI Tape Drive+Software+Enclosure+Ext. Cables)  
 TLT155GSH \$ 589 155MB Teac Tape Drive Unit  
 TLT50GSH \$ 519 50MB Teac Tape Drive Unit

**Macintosh Hard Disk Subsystems**  
**(Assembled and Preformatted)**

**HALF SHELL - LOW POWER COMPACT HARD DRIVE (1.4"x5.5"x7.5" 2.25lb.)**

(SCSI Drive+Format Software+Cables+Carrying Case)

HS20M \$ 349 20MB Conner 25ms **LOW POWER****\*\*\*MACWORLD SPECIAL**

HS40M \$349 40MB 25ms Half Shell (same drive as MacPortable)

HS120M \$649 120MB 19ms Half Shell Compact Hard Drive.

**HERMIT CRAB -- PORTABLE HARD OR TAPE DRIVE (2.8"x5.5"x7.5" 4lb.)**

(SCSI Drive+Format Software+Cables+Carrying Case)

HC32M \$ 339 32MB Seagate 40/28ms

HC48M \$ 389 48MB Seagate 28ms

HC60M \$ 455 60MB Seagate 24ms

HC84M \$ 479 84MB Seagate 24ms

HC84QM \$ 569 84MB Quantum 19/12ms

HC105M \$ 579 105MB Conner 25ms

HC200XM \$ 929 200MB Maxtor 15ms

HCT155T \$ 579 155MB Teac Portable Tape Drive

**\*\*\*MACWORLD SPECIAL**

HC40M \$369 40MB 25ms Hermit Crab (same drive as MacPortable)

HC120M \$669 120MB 19ms Hermit Crab Portable Hard Drive.

**A-HIVE JR. EXT. HARD OR TAPE DRIVE SUBSYSTEM (7.1"x7.1"x2.2" 6lb.)**

(SCSI Drive+Format Software+Enclosure+Cables)

HJ32M \$ 369 32MB Seagate 40/28ms

HJ40M \$ 389 40MB Conner 25ms **LOW POWER**

HJ48M \$ 410 48MB Seagate 28ms

HJ60M \$ 479 60MB Seagate 24ms

HJ84M \$ 499 84MB Seagate 24ms

HJ84QM \$ 599 84MB Quantum 19/12ms

HJ105QM \$ 625 105MB Quantum 19/12ms

HJ120M \$ 719 120MB Conner 19ms **LOW POWER**

HJ170QM \$ 939 170MB Quantum 19/12ms

HJ200XM \$ 959 200MB Maxtor 15ms

HJ210QM \$1025 210MB Quantum 19/12ms

**\*\*\*MACWORLD SPECIAL**

HJ84M \$479 84MB 24ms A-Hive Jr. Transportable Hard Drive.

HJT155M \$559 155MB A-Hive Jr. Transportable Tape Drive

incl. Backup Software and Cassette Tape.

**A-HIVE EXTERNAL HARD DRIVE SUBSYSTEM (9.9"x9.6"x4.3" 11lb.)**

(Drive+Format Software+Enclosure+Ext.Cables)

TL48NH \$ 429 48MB Seagate SCSI 28ms 3.5"

TL65NH \$ 449 65MB Seagate SCSI 28ms 5.25 HH

TL85NH \$ 479 85MB Seagate SCSI 28ms 5.25" HH

TL84QNH \$ 615 84MB Quantum SCSI 19/12ms 3.5"

TL105QNH \$ 645 105MB Quantum SCSI 19/12ms 3.5"

TL120NH \$ 735 120MB Conner SCSI 19ms 1"

TL170NH \$ 955 170MB Seagate 15ms 3.5"

TL200XNH \$ 975 200MB Maxtor SCSI 15ms 3.5"

TL210QNH \$1045 210MB Quantum SCSI 19/12ms 3.5"

TL340MNH \$1429 340MB Micropolis SCSI 14ms 5.25" HH

TL440NH \$1739 440MB Seagate Wren SCSI 16ms 5.25" HH

TL612NH \$1865 612MB Seagate Wren SCSI 16ms 5.25" FH

TL668MNH \$1999 668MB Micropolis SCSI 14ms 5.25" FH

TL1050MNH \$2839 1.05GB Micropolis SCSI 14ms 5.25" FH

TL1050NH \$2939 1.05GB Seagate Wren SCSI 16ms 5.25" FH

**COMBO SUBSYSTEM:** Above Half-Height Hard Drive w/155MB Tape Drive add \$489.

## A-HIVE REMOVABLE CARTRIDGE/TAPE DRIVE (INT. OR EXT.)

***MACWORLD SPECIAL		44MB Syquest 20ms SCSI Cartridge Drive External incl. Cartridge and ready for a second hard drive add-on.	
TLT44MH	\$599		
TLT155N/TLT155MH	\$435/569	155MB Teac CT600 Streaming Tape Drive 3.5" (\$29/tape)	
TLT155WN/TLT155WMH	\$675/810	155MB Wangtek DC600 Tape Drive (\$42/tape)	
TLT500WN/TLT500WMH	\$815/945	500MB Wangtek DC600 Tape Drive	

Macintosh Hard Disk Components**SCSI HARD DRIVES**

TL20NC/40NC/80NC	\$279/299/459
TL105NC/120NC/200NC	\$495/599/829
TL200NX/675NX	\$ 849/2059
TL340NM/1050NM	\$1319/2710
TL40NQ/84NQ/105NQ	\$339/489/519
TL120NQ/170NQ/210NQ	\$729/849/939
TL32N/48N/60N/84N	\$265/310/369/399
TL65N/85N	\$319/359
TL440N/612N	\$1619/1719
TL675N/1050N	\$1989/2859
TL44R	\$ 429
TLCDR680	\$ 759
TLFD2N/TLFD4N	\$179/219
TLT600	\$
CD & CD-ROM	\$

Conner 20MB/40MB/80MB 25ms 1"/3.5"	
Conner 105MB/120MB/200MB 25/19ms 1"/3.5"	
Maxtor 200MB/675MB 15ms 3.5"/5.25" FH	
Micropolis 340MB HH/1.05GB FH 14ms 5.25"	
Quantum 40MB/84MB/105MB 19/12ms 3.5"	
Quantum 120MB/170MB/210MB 19/12ms 3.5"	
Seagate 32MB/48MB/60MB/84MB 28/24ms 3.5"	
Seagate 65MB/85MB 28ms 5.25" HH	
Seagate Wren 502MB HH/612MB FH 16ms 5.25"	
Seagate Wren 675MB/1.05GB 16ms 5.25" FH	
Syquest Removable Cartridge 44MB 20ms 5.25" HH	
NEC CD ROM External 680MB	** New Item
2MB/4MB Teac SCSI Floppy Drive	** New Item
600MB Teac SCSI Tape Drive	** New Item
Many variety ... Call for detail.	** New Item

## • A-HIVE and A-HIVE JR.(EXTERNAL DRIVE ENCLOSURE)

TLSC301	\$ 119
TLSC651	\$ 169
TLSC30J	\$ 119

30 Watts Power Supply/Fan/Int. SCSI Cable
65 Watts Power Supply/Fan/Int. SCSI Cable
A-Hive Jr. Power Supply/Fan/Int. SCSI Cable

## • HERMIT CRAB PORTABLE HARD OR TAPE DRIVE SHELL

## (External Shell w/Adapters and Cable)

HC888/HC888T	\$ 69
HC888C	\$ 20

Shell For HERMIT CRAB Hard or Tape Drive  
Matching Carrying Case

## • CABLES AND MISCELLANEOUS

TLHSC100	\$ 20
TLSCSI	\$ 18
TLSCSIC	\$ 19
TLSCSII	\$ 20
TLSCSII2	\$ 25
TLT100	\$ 18
TLMOD2	\$ 25

Half Shell Daisy-Chain Cable
25-50pin External SCSI Cable
50-50pin External SCSI Daisy Chain Cable
50 to 2-50pin Internal 1 Drive SCSI Cable
2-50 to 2-50pin Internal 2 Drive SCSI Cable
External SCSI Terminator
2 Drive Mod-Hive(2nd LED/Conn/SCSI Addr/Mtg Brackets)

**FEATURES:**

**HALF SHELL LOW POWER HARD DRIVE:** • Same drive as used in the Macintosh Portable. Computer-powered version includes adapters and cables. External-powered version uses AC/DC adapter (included). Both versions come complete with matching carrying case.

**HERMIT CRAB:** • compact with additional shock mount to withstand handling in transportation. Computer-powered version includes adapters and cables. With power supplied by the Macintosh, the hard drive is the only active component for simple, efficient, reliable and quiet operation. It can be daisy chained for expandability. Low power drives have computer-powered and external-powered versions. External-powered version uses AC/DC adapter (included). All Hermit Crab drives come complete with matching carrying case.

**A-HIVE AND A-HIVE JR. HARD/CARTRIDGE/TAPE DRIVE SUBSYSTEM:**

- The Subsystem is fully assembled and preformatted and comes with all the necessary cables.
- The Hard Drive/Cartridge/Tape Subsystem can be reformatted for Sun, Next, IBM, Tandy ...
- The A-Hive Enclosure can house two half-height hard drives, or one half-height hard drive and one removable cartridge/tape drive, or one full-height hard drive. The A-Hive Jr. is a compact 3.5" hard or removable drive enclosure.

**ENCLOSURES:**

• Hermit Crab Shell has additional shock mount. • A-Hive can house two half-height hard drives, or one half-height hard drive and one removable cartridge/tape drive, or one full-height hard drive. • The A-Hive Jr. Enclosure can house one 3.5" hard drive or removable tape/cartridge drive. Both A-Hive and A-Hive Jr. come with universal power supply and fan.

**DRIVES:** • embedded SCSI, fast and reliable with auto-park heads. Some drives have disk cache.

**TAPE/CARTRIDGE DRIVE:** • embedded SCSI, fast and reliable. Provides unlimited storage capacity.

**WARRANTY:** Hard Drive/Cartridge/Tape Drive: Manufacturer's warranty (1-5 years depending on mfr.)  
Fan and Power supply: Tulin warranty (1 year)